



## SAFETY DATA SHEET

SDS- EUEN-2024

Date Updated: 13<sup>th</sup>.August.2024

Version: 1.0/EN.

according to the REACH Regulation (EC) 1907/2006 amended by Regulation (EU) 2020/878, Article 31

### SECTION 1: IDENTIFICATION OF THE SUBSTANCE/MIXTURE AND OF THE COMPANY/UNDERTAKING

#### 1.1. Product identifier

**Product form** : Mixture  
**Product Name** : Pollefur Urethan Resin  
**Brand** : I CORSYS POLIEFUR URETHAN RESIN  
**Synonyms** : Aerogel + PEU

#### 1.2. Relevant identified uses of the substance or mixture and uses advised against

**Application of the substances/mixture:** High electrical insulation, corrosion resistance, mechanical and can be used for transparent conditioning for the propagation of sound waves with high adhesion property, protecting metal, wood, and other surfaces in aggressive environments (including corrosion and decay such as acidic, alkaline, salty water) with compound resin, etc., for corrosion protection purposes strength

**Uses advised against:** None specified.

#### 1.3. Details of the supplier of the safety data sheet

Manufactured by:

**I Core Systems GmbH**

Wissenschaftspark Gelsenkirchen

Munscheidstr. 14

45886 Gelsenkirchen / Germany

Tel: +49 209 9843 9999

Web: [icorsys.com](http://icorsys.com)

Further information obtainable from: [contact@icorsys.com](mailto:contact@icorsys.com)

E-mail of competent person responsible for SDS: [pyigitoglu@gmail.com](mailto:pyigitoglu@gmail.com)

#### 1.4. Emergency telephone number

European Emergency No: 112

Emergency telephone at the company: +49 (0) 209 9843 9999 (Monday to Friday 7 am to 5 pm)

### SECTION 2: HAZARDS IDENTIFICATION

#### 2.1. Classification of the substance or mixture

According to Regulation (EC) No 1272/2008 [CLP/GHS]:

Flammable liquid: Category 3

Skin irritation: Category 2

Eye irritation: Category 2

Specific target organ toxicity (single exposure): Category 3

#### 2.2. Label elements

Hazard pictograms:



![GHS02] (Flame)

I CORE SYSTEMS GMBH | Munscheidstrasse 14 | D-45886 Gelsenkirchen

Telfon: +49 (0) 209 9843 9999 | [contact@icorsys.com](mailto:contact@icorsys.com) | [www.icorsys.com](http://www.icorsys.com)

Geschäftsführer: Namik Kemal Sönmez | Mobile: +49 (0) 174 632 82 82 | [nks@icorsys.com](mailto:nks@icorsys.com)

Geschäftsführer: Hasan Ekiz | Mobile: + 49 (0) 174 933 30 30 | + 90 (0) 506 093 30 30 | [he@icorsys.com](mailto:he@icorsys.com)

Amtsgericht Gelsenkirchen: HRB 18073 | USt.ID: DE 365 995 108 | St.Nr: 319 / 5725 / 5768



![GHS07] (Exclamation Mark)



Signal word: Warning

#### Hazard statements:

H226: Flammable liquid and vapor.

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

#### Precautionary statements:

P210: Keep away from heat/sparks/open flames/hot surfaces – No smoking.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P303+P361+P353: IF ON SKIN (or hair): Remove/Take off immediately all contaminated clothing. Rinse skin with water/shower.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do. Continue rinsing.

P403+P235: Store in a well-ventilated place. Keep cool.

### 2.3. Other hazards

This substance/mixture contains no components considered to be either persistent, bio accumulative and toxic (PBT), or very persistent and very bio accumulative (vPvB) at levels of 0.1% or higher.

The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher.

## SECTION 3: COMPOSITION/INFORMATION ON INGREDIENTS

### 3.2. Mixture

Ingredient	Product identifier	Classification according to Regulation (EC) No 1272/2008 [CLP]
Synthetic Amorphous Silica	CAS Number: 7631-86-9 EC Number: 231-545-4	Hazard Class: Not classified under CLP Hazard Statements: Not applicable
Polyetherurethane-resin	CAS Number: NA EC Number:NA	Hazard Class: Skin Irrit. 2, Eye Irrit. 2, STOT SE 3 Hazard Statements: H315, H319, H335

This product is composed of synthetic amorphous silica dioxide, commonly called white carbon black. Amorphous silica should not be confused with crystalline silica.

**Hazardous components:** No hazardous components in this proprietary formulation.

**Full text of H-statements:** see section 16

## SECTION 4: FIRST-AID MEASURES

### 4.1. Description of first aid measures

**After inhalation:** Remove person to fresh air.

**After skin contact:** Wash with soap and water. Observe good occupational hygiene for work. If skin irritation or rash occurs, seek medical attention.

**After eye contact:** Do not rub eyes. Dust particles may cause abrasive injury. Flush eyes with water for several minutes.

**After swallowing:** Need for First Aid is not anticipated.

### 4.2. Most important symptoms and effects, both acute and delayed

I CORE SYSTEMS GMBH | Munscheidstrasse 14 | D-45886 Gelsenkirchen

Telefon: +49 (0) 209 9843 9999 | [contact@icorsys.com](mailto:contact@icorsys.com) | [www.icorsys.com](http://www.icorsys.com)

Geschäftsführer: Namik Kemal Sönmez | Mobile: +49 (0) 174 632 82 82 | [nks@icorsys.com](mailto:nks@icorsys.com)

Geschäftsführer: Hasan Ekiz | Mobile: +49 (0) 174 933 30 30 | +90 (0) 506 093 30 30 | [he@icorsys.com](mailto:he@icorsys.com)

Amtsgericht Gelsenkirchen: HRB 18073 | USt.ID: DE 365 995 108 | St.Nr: 319 / 5725 / 5768



May cause respiratory irritation, skin irritation, and serious eye irritation.

#### **4.3. Indication of any immediate medical attention and special treatment needed**

Immediate medical attention is generally not required.

### **SECTION 5: FIRE-FIGHTING MEASURES**

#### **5.1. Extinguishing media**

Suitable extinguishing agents: Use water spray, alcohol-resistant foam, dry chemical, or carbon dioxide.

Unsuitable extinguishing media: Do not use a solid water stream as it may scatter and spread fire.

#### **5.2. Special hazards arising from the substance or mixture**

Product is a super-insulator. Rolls of material will retain heat within internal layers that may be a source of ignition after the fire is extinguished. Keep hot material away from combustible materials and cool hot insulation with water.

#### **5.3. Advice for firefighters**

Protective equipment: Normal firefighting procedures should be followed to avoid inhalation of smoke and gases produced by a fire.

### **SECTION 6: ACCIDENTAL RELEASE MEASURES**

#### **6.1. Personal precautions, protective equipment and emergency procedures**

Use personal protective equipment as required.

Ensure adequate ventilation.

Avoid formation of dust.

#### **6.2. Environmental precautions**

Report spills as required under national and local regulations.

#### **6.3. Methods and material for containment and cleaning up**

Collect using methods that avoid the generation of dust (pick up or vacuum dust) and place in appropriate container for disposal.

#### **6.4. Reference to other sections**

See Section 7 for information on safe handling.

See Section 8 for information on personal protection equipment.

See Section 13 for disposal information.

### **SECTION 7: HANDLING AND STORAGE**

#### **7.1. Precautions for safe handling**

Prevent formation of dust.

Avoid contact with skin and eyes. Avoid inhalation of vapor or mist. Use explosion-proof equipment. Keep away from sources of ignition

#### **7.2. Information about protection against explosions and fires**

No special measures required.

#### **7.3. Conditions for safe storage, including any incompatibilities**

**Information about storage in one common storage facility:** Keep tightly closed in the packaging until ready for use. Store in a dry place.

#### **7.4. Further information about storage conditions**

Dispose of contents/container in accordance with local/regional/national/international regulations.

#### **7.5. Specific end use(s)**

Insulation material, protective coatings, composite materials, etc



## SECTION 8: EXPOSURE CONTROLS / PERSONAL PROTECTION

### Additional information about design of technical systems

Technical measures and the application of adequate working methods take priority over the use of personal protection equipment. Use process enclosures, local exhaust ventilation or other engineering controls to keep worker exposure to airborne contaminants below any recommended or statutory limits.

#### 8.1. Control parameters

There are no exposure limits identified for the main product component, which is classified as synthetic amorphous silica.

Exposure limits for synthetic amorphous silica are based on silica.

There are no exposure limits identified for the Polyetherurethane which is classified as Polyetherurethane. Exposure limits for Polyetherurethane-resin are based on Polyurethane..

Components with limit values that require monitoring at the workplace:

##### **CAS: 9009-54-5 Polyurethane,resin**

Occupational Exposure Limits (OELs):

US OSHA PEL: Not established

UK WEL: Not established

Germany TRGS 900: 0.05 mg/m<sup>3</sup> (Inhalable fraction and vapor, MAK value)

France VLEP: Not established

EU Indicative OEL: Not established

Derived No-Effect Level (DNEL) (workers):

Inhalation, long-term exposure: 10 mg/m<sup>3</sup>

Dermal, long-term exposure: 3.33 mg/kg body weight/day

Predicted No-Effect Concentration (PNEC)(aquatic environment):

Freshwater: 0.1 mg/L

Marine water: 0.01 mg/L

Sediment (freshwater): 1 mg/kg sediment dw

Sediment (marine water): 0.1 mg/kg sediment dw

Soil: 0.05 mg/kg soil dw

STP (Sewage Treatment Plant): 10 mg/L

##### **CAS: 7631-86-9 silica, amorphous**

Australia :2 mg/ m<sup>3</sup>, TWA, respirable

Austria MAK :4 mg/m<sup>3</sup>, TWA, inhalable fraction

Germany TRGS 900 :4 mg/m<sup>3</sup>, TWA, inhalable fraction

India :10 mg/m<sup>3</sup>, TWA

Ireland :2.4 mg/m<sup>3</sup>, TWA, respirable dust

Norway :1.5mg/m<sup>3</sup>, TWA, respirable dust

UK WEL :6 mg/m<sup>3</sup>, TWA, total inhalable fraction

2.4 mg/m<sup>3</sup>, TWA, respirable fraction

US OSHA PEL(TWA) :15 mg/m<sup>3</sup>, total dust

5 mg/m<sup>3</sup>, respirable fraction

Derived No-Effect Level (DNEL) (workers):

Inhalation, long-term exposure: 4 mg/m<sup>3</sup>

Dermal, long-term exposure: 1.6 mg/kg body weight/day

Derived No-Effect Level (DNEL) (general population):

Inhalation, long-term exposure: 1.2 mg/m<sup>3</sup>

Dermal, long-term exposure: 0.8 mg/kg body weight/day

Predicted No-Effect Concentration (PNEC) (aquatic environment):

Freshwater: 0.1 mg/L



Marine water: 0.01 mg/L  
Sediment (freshwater): 0.8 mg/kg sediment dw  
Sediment (marine water): 0.08 mg/kg sediment dw  
Soil: 0.2 mg/kg soil dw  
STP (Sewage Treatment Plant): 1 mg/L

Note: The CAS number provided for Polyurethane-resin (9009-54-5) is a general placeholder. Polyetherurethane-resin is a broad category of polymers with various formulations, each potentially having different CAS numbers. For precise identification, refer to the specific CAS number provided by the manufacturer for the exact product formulation. Always consult the manufacturer's safety data for the most accurate and detailed information.

## 8.2. Exposure controls

### Appropriate engineering controls

Ensure adequate ventilation, especially in confined areas.



### Personal protective equipment

**General protective and hygienic measures:** Observe good hygiene practices.

**Breathing equipment:** Select fit and use in accordance with local and national regulations.

### Protection of hands

**Material of gloves:** Impervious gloves recommended for handling product.

**Penetration time of glove material:** Not Applicable.

**Eye protection:** Appropriate safety eye wear is recommended.

**Body protection:** Appropriate work clothing is recommended.

**Environmental exposure controls:** Avoid release to the environment.

## SECTION 9: PHYSICAL AND CHEMICAL PROPERTIES

### 9.1. Information on basic physical and chemical properties

General Information

Appearance:

Form: Liquid or semi-solid

Color: Light yellow in color, transparent, smooth, viscous standard: Band 5.1

Odor: Odorless. Under certain conditions, may have faint ammonia-like odor.

Odor threshold: Not determined.

pH-value: Not applicable.

Change in condition

Melting point/Melting range: No data available.

Boiling point/Boiling range: Undetermined.

Flash point: Not applicable.

Flammability (solid, gaseous): Not Flammable.

Ignition temperature: No data available.

Decomposition temperature: Not determined.

Auto igniting: Not determined.

Danger of explosion: Product does not present an explosion hazard.

Explosion limits:

Lower: Not determined.

Upper: Not determined.

Oxidizing properties: Not applicable.

Vapor pressure: Not applicable.



Density:	Not determined.
Relative density:	Not determined.
Vapor density:	Not applicable.
Evaporation rate:	Not applicable.
Solubility in / Miscibility with	
Water:	Insoluble.
Partition coefficient (n-octanol/water):	Not determined.
Viscosity:	
Dynamic:	Not applicable.
Kinematic:	Not applicable

## 9.2. Other information

No relevant information available.

## SECTION 10: STABILITY AND REACTIVITY

### 10.1. Reactivity

Not reactive under normal conditions.

### 10.2. Chemical stability

Stable under normal conditions.

### 10.3. Possibility of hazardous reactions

No dangerous reactions known.

Polyetherurethane-resin: May react with strong acids, bases, and oxidizing agents.

Silica Aerogel: Inert material, no hazardous reactions.

### 10.4. Conditions to avoid

Avoid prolonged exposure above the recommended use temperature.

### 10.5. Incompatible materials

Polyetherurethane-resin: Strong acids, strong bases, and strong oxidizing agents.

Silica Aerogel: Hydrofluoric acid, strong alkalis (may dissolve silica).

### 10.6. Hazardous decomposition products

No hazardous decomposition products during normal storage and handling.

Thermal decomposition of Polyetherurethane-resin can produce carbon oxides (CO, CO<sub>2</sub>), nitrogen oxides (NO<sub>x</sub>), and traces of hydrogen cyanide.

Silica Aerogel is thermally stable and does not decompose under normal conditions.

## SECTION 11: TOXICOLOGICAL INFORMATION

### 11.1. Information on toxicological effects

#### Acute toxicity:

Based on available data, components are not acutely toxic.

Dust may cause mechanical irritation and dryness to eyes and skin.

#### Polyurethane-resin (CAS 9009-54-5)

Oral LD<sub>50</sub> (Rat): > 2,000 mg/kg

Dermal LD<sub>50</sub> (Rabbit): > 2,000 mg/kg

Inhalation LC<sub>50</sub> (Rat, 4h): > 5 mg/L (dust/mist)

**Eye Irritation:** Causes serious eye irritation (Category 2, H319).

**Skin Irritation:** Causes skin irritation (Category 2, H315).

**Silica, Amorphous (CAS 7631-86-9)**

Oral LD50 (Rat): > 5,000 mg/kg

Dermal LD50 (Rabbit): > 5,000 mg/kg

Inhalation LC50 (Rat, 4h): > 2.08 mg/L

**Eye Irritation:** Synthetic amorphous silica and silicates are not irritating to skin and eyes under experimental conditions but may produce dryness following prolonged and repeated exposure.

**Skin Irritation:** Synthetic amorphous silica and silicates are not irritating to skin and eyes under experimental conditions but may produce dryness following prolonged and repeated exposure.

**Skin Corrosion/Irritation:**

Polyetherurethane-resin: Causes skin irritation (Category 2, H315).

Silica, Amorphous: Not classified; may cause mild irritation in some individuals.

**Serious Eye Damage/Eye Irritation:**

Polyetherurethane-resin: Causes serious eye irritation (Category 2, H319).

Silica, Amorphous: Not classified; may cause mild irritation in some individuals.

**Respiratory or Skin Sensitization:** The chemical structure does not suggest a sensitizing effect.

Polyetherurethane-resin: Not classified as a sensitizer, but inhalation of fumes or vapors may cause respiratory irritation (Category 3, H335).

Silica, Amorphous: Not classified as a sensitizer.

**STOT (Specific Target Organ Toxicity) – Repeated Exposure:**

Polyetherurethane-resin: Not classified; no significant effects observed in repeated exposure studies.

Silica, Amorphous: Prolonged inhalation of high concentrations of amorphous silica dust may cause lung effects, but these are generally considered reversible and non-fibrotic.

**Aspiration Hazard:**

Polyetherurethane-resin: Not classified as an aspiration hazard.

Silica, Amorphous: Not classified as an aspiration hazard.

**Chronic Toxicity:**

Some studies of long-term amorphous silica dust exposures indicate a potential for decreased lung function. In surveyed studies, this effect is characterized as compounded by smoking. Additionally, surveyed studies characterize the decreased lung function effect as reversible on discontinuation of exposure.

**Additional toxicological information:****Carcinogenic categories****IARC (International Agency for Research on Cancer)**

IARC is a research organization that evaluates the evidence on the causes of cancer but does not make regulation, legislation, or public health intervention recommendations. The IARC Monographs Program identifies cancer hazards but does not evaluate the risks associated with specific levels or circumstances of exposure.

The International Agency for Research on Cancer (IARC) considers synthetic amorphous silica to be not classifiable as to its carcinogenicity to humans (Group 3). See Section 11 for a full discussion.

**NTP (National Toxicology Program)**

None of the ingredients is listed.

**OSHA-Ca (Occupational Safety & Health Administration)**

None of the ingredients is listed.

**Germ cell mutagenicity:** Based on available data, the classification criteria are not met.

**Carcinogenicity:** Based on available data, the classification criteria are not met.



**Reproductive toxicity:** Based on available data, the classification criteria are not met.

**STOT-single exposure:**

Polyetherurethane-resin: May cause respiratory irritation (Category 3, H335).

Silica, Amorphous: Not classified.

**STOT-repeated exposure:**

Polyetherurethane-resin: Not classified; no significant effects observed in repeated exposure studies.

Silica, Amorphous: Prolonged inhalation of high concentrations of amorphous silica dust may cause lung effects, but these are generally considered reversible and non-fibrotic.

**Aspiration hazard:** Based on available data, the classification criteria are not met.

**SECTION 11 NOTES:** Toxicological information is based on literature review for synthetic amorphous silica (CAS No.7631 -86-9) and polyurethane-resin (CAS 9009-54-5). This product is composed of synthetic amorphous silica dioxide, commonly called white carbon black. Amorphous silica should not be confused with crystalline silica.

Epidemiological studies indicate low potential for adverse health effects from exposure to amorphous silica.

The CAS number provided for Polyurethane-resin (9009-54-5) is a general placeholder. Polyetherurethane-resin is a broad category of polymers with various formulations, each potentially having different CAS numbers. For precise identification, refer to the specific CAS number provided by the manufacturer for the exact product formulation. Always consult the manufacturer's safety data for the most accurate and detailed information.

## 11.2. Information on other hazards

No additional information available

## SECTION 12: ECOLOGICAL INFORMATION

### 12.1. Toxicity

#### Aquatic toxicity

Studies on fish, daphnia and algae using synthetic amorphous silica (SAS) showed no toxicity; physical effects on daphnid mobility were observed in tests using unfiltered suspensions at 1000 mg/L and higher. Test results of SAS, based on loading rates, are as follows:

96h-LLO (Danio rerio): 10,000 mg/L (suspension)

96h-NOEC (Pimephales promelas, colloidal silica): 500 mg/L

24h-EL0 (Daphnia magna): 1000 mg/L (suspension), 24-h EL50 (Daphnia magna): >10,000 mg/L (filtered suspension).

The 21day-NOECs for daphnid reproduction were at 100 mg/L or higher for the dissolved fractions of SAS.

For algae, the 72h-EC50 was above water solubility, the 72h-NOEC was 173 mg/L (dissolved fraction).

Polyurethane-resin (CAS 9009-54-5)

Fish (96h LC50): > 100 mg/L (estimated)

Daphnia (48h EC50): > 100 mg/L (estimated)

Algae (72h EC50): > 100 mg/L (estimated)

The substance is not expected to cause acute toxicity to aquatic organisms at environmentally relevant concentrations.

### 12.2. Persistence and degradability

No relevant information available.

### 12.3. Bioaccumulative potential

No relevant information available.

### 12.4. Mobility in soil

No relevant information available.



## 12.5. Results of PBT and vPvB assessment

Polyetherurethane-resin: This substance is not considered to be persistent, bioaccumulative, and toxic (PBT) or very persistent and very bioaccumulative (vPvB).

Silica, Amorphous: This substance is not considered to be PBT or vPvB.

## 12.6. Endocrine disrupting properties

### Product

**Assessment:** The substance/mixture does not contain components considered to have endocrine disrupting properties according to REACH Article 57(f) or Commission Delegated regulation (EU) 2017/2100 or Commission Regulation (EU) 2018/605 at levels of 0.1% or higher

**Note:** The CAS number provided for Polyurethane-resin (9009-54-5) is a general placeholder. Polyetherurethane-resin is a broad category of polymers with various formulations, each potentially having different CAS numbers. For precise identification, refer to the specific CAS number provided by the manufacturer for the exact product formulation. Always consult the manufacturer's safety data for the most accurate and detailed information.

## 12.7. Other adverse effects

No relevant information available.

## SECTION 13: DISPOSAL CONSIDERATIONS

### 13.1. Waste treatment methods

**Recommendation:** Dispose of contents/container in accordance with local/regional/national/international regulations.

## 13.2. Uncleaned packaging

**Recommendation:** Cover promptly to avoid dust generation. Disposal must be made according to official regulations.

## SECTION 14 : TRANSPORT INFORMATION

### UN-Number

DOT, IMDG, IATA	Not applicable
-----------------	----------------

### UN proper shipping name

DOT, IMDG, IATA	Not applicable
-----------------	----------------

### Transport hazard class(es)

DOT, IMDG, IATA	Not applicable
Class	Not applicable

### Packing group

DOT, IMDG, IATA	Not applicable
-----------------	----------------

### Environmental hazards

	Not applicable
--	----------------

### Special precautions for user

	Not applicable
--	----------------

### Transport in bulk according to Annex II of MARPOL73/78 and the IBC Code

	Not determined
--	----------------

### UN "Model Regulation"

	Not applicable
--	----------------

## SECTION 15: REGULATORY INFORMATION

### 15.1 Safety, health, and environmental regulations/legislation specific for the substance or mixture:

This product is classified and labeled according to the CLP regulation (Regulation (EC) No 1272/2008 on the classification, labelling



and packaging of substances and mixtures)

#### **U.S. Federal Regulations**

##### **OSHA Hazard Communication Standard (29 CFR 1910.1200)**

Polyetherurethane-resin: Classified as a skin and eye irritant, with respiratory irritation potential.

Labeling Requirements:

Polyetherurethane-resin:

Signal Word: Warning

Hazard Statements:

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Precautionary Statements:

P261: Avoid breathing dust/fume/gas/mist/vapors/spray.

P264: Wash thoroughly after handling.

P280: Wear protective gloves/protective clothing/eye protection/face protection.

P302+P352: IF ON SKIN: Wash with plenty of water.

P304+P340: IF INHALED: Remove person to fresh air and keep comfortable for breathing.

P305+P351+P338: IF IN EYES: Rinse cautiously with water for several minutes. Remove contact lenses, if present and easy to do.

Continue rinsing.

P312: Call a POISON CENTER or doctor if you feel unwell.

Silica, Amorphous:

Signal Word: None required.

Hazard Statements: None required.

Precautionary Statements: Avoid dust inhalation and use proper personal protective equipment as needed.

Note: The CAS number provided for Polyurethane-resin (9009-54-5) is a general placeholder. Polyetherurethane-resin is a broad category of polymers with various formulations, each potentially having different CAS numbers. For precise identification, refer to the specific CAS number provided by the manufacturer for the exact product formulation. Always consult the manufacturer's safety data for the most accurate and detailed information.

#### **Toxic Substances Control Act (TSCA)**

All components are on the inventory or in compliance with the inventory.

#### **Environmental Protection Agency (EPA)**

Clean Air Act (CAA): No specific requirements for this mixture.

Clean Water Act (CWA): No specific requirements for this mixture.

Resource Conservation and Recovery Act (RCRA): Not classified as a hazardous waste under RCRA regulations.

#### **CERCLA (Comprehensive Response Compensation and Liability Act)**

Product is not classified as hazardous or reportable under this requirement.

#### **SARA TITLE III (Superfund Amendments and Reauthorization Act)**

Product is not classified as hazardous or reportable under this requirement.

#### **311/312 HAZARD CATEGORIES**

Materials in this product are classified as hazardous or reportable under this requirement.

#### **313 REPORTABLE INGREDIENTS**

Materials in this product are not classified as hazardous or reportable under this requirement.

#### **STATE REGULATIONS**

I CORE SYSTEMS GMBH | Munscheidstrasse 14 | D-45886 Gelsenkirchen

Telefon: +49 (0) 209 9843 9999 | [contact@icorsys.com](mailto:contact@icorsys.com) | [www.icorsys.com](http://www.icorsys.com)

Geschäftsführer: Namik Kemal Sönmez | Mobile: +49 (0) 174 632 82 82 | [nks@icorsys.com](mailto:nks@icorsys.com)

Geschäftsführer: Hasan Ekiz | Mobile: +49 (0) 174 933 30 30 | +90 (0) 506 093 30 30 | [he@icorsys.com](mailto:he@icorsys.com)

Amtsgericht Gelsenkirchen: HRB 18073 | USt.ID: DE 365 995 108 | St.Nr: 319 / 5725 / 5768



Materials in this product appear on the following state hazardous substance lists: CA, IN, KY, MA, MN, NC, NJ, OR, PA. Check individual state requirements.

#### European Union

This product is classified and labeled according to the CLP regulation (Regulation (EC) No 1272/2008 on the classification, labelling and packaging of substances and mixtures)

Aerogel insulations are considered an article, not a substance or preparation, under the REACH directive. (Regulation (EC) No. 1907/2006 (REACH))

This safety data sheets complying with Commission Regulation (EU) 2020/878 of 18 June 2020 amending Annex II to Regulation (EC) No 1907/2006 of the European Parliament and of the Council concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH)

This safety data sheets complying with Regulation (EC) No 1272/2008 Of the European Parliament and Of the Council Of 16 December 2008 on Classification, Labelling and Packaging of Substances and Mixtures, Amending and Repealing Directives 67/548/EEC And 1999/45/EC, And Amending Regulation (EC) No 1907/2006.

#### California Proposition 65

None of the ingredients is listed.

#### Australia Inventory of Chemical Substances (AICS)

No information available.

#### Canada Domestic Substance List (DSL)

All chemical substances in this product are included on or exempted from the Canadian Domestic Substance List (DSL). Amorphous silica (CAS No. 7631-86-9) is listed on the WHMIS Ingredient Disclosure List at a concentration threshold of 1 %.

#### China Existing Chemical Inventory (IECSC)

No information available.

#### European Inventory of Existing Commercial Chemical Substances (EINECS)

No information available.

#### Japanese Existing and New Chemical Substances Inventory (ENCS)

No information available.

#### Korea Toxic Chemical Control Law (KECI) or Existing Chemicals List (ECL)

No information available.

#### Malaysia Environmentally Hazardous Substances Notification and Registration (EHSNR)

No information available.

#### Philippine Inventory of Chemicals and Chemical Substances (PICCS)

No information available.

#### New Zealand Inventory of Chemicals (NZIoC)

No information available.

#### Taiwan Inventory of Chemicals (CSNN)

No information available.

#### Mexico El inventario Nacional de Sustancias Químicas (INSQ)

No information available.

#### International Regulations

Amorphous silica (CAS No. 7631-86-9) is listed on the WHMIS Ingredient Disclosure List at a concentration threshold of 1%.

I CORE SYSTEMS GMBH | Munscheidstrasse 14 | D-45886 Gelsenkirchen

Telefon: +49 (0) 209 9843 9999 | [contact@icorsys.com](mailto:contact@icorsys.com) | [www.icorsys.com](http://www.icorsys.com)

Geschäftsführer: Namik Kemal Sönmez | Mobile: +49 (0) 174 632 82 82 | [nks@icorsys.com](mailto:nks@icorsys.com)

Geschäftsführer: Hasan Ekiz | Mobile: +49 (0) 174 933 30 30 | +90 (0) 506 093 30 30 | [he@icorsys.com](mailto:he@icorsys.com)

Amtsgericht Gelsenkirchen: HRB 18073 | USt.ID: DE 365 995 108 | St.Nr: 319 / 5725 / 5768



## 15.2. Chemical Safety Assessment

No Chemical Safety Assessment has been carried out for this mixture by the supplier.

## SECTION 16: OTHER INFORMATION

Product safety data sheet for prepared in accordance with Regulation (EC) No 1907/2006 of the European Parliament and of the Council of 18 December 2006 concerning the Registration, Evaluation, Authorization and Restriction of Chemicals (REACH), establishing a European Chemicals Agency, amending Directive 1999/45/EC and repealing Council Regulation (EEC) No 793/93 and Commission Regulation (EC) No 1488/94 as well as Council Directive 76/769/EEC and Commission Directives 91/155/EEC, 93/67/EEC, 93/105/EC, 2000/21/EC and Commission Regulation (EU) 2020/878.

### 16.1. Indication of changes (Additions, Deletions, Revisions)

Date of last issue: 13.08.2024

Date of first issue: 13.08.2024

Revision Date: -

### 16.2. Abbreviations and acronyms

CLP = Classification Labelling Packaging

CAS No. = Chemical Abstracts Service number.

EC Number = EINECS and ELINCS Number (see also EINECS and ELINCS).

EU = European Union.

IARC = International Agency for Research on Cancer.

OSHA = European Agency for Safety and Health at work.

PBT = Persistent, Bioaccumulative and Toxic substance.

REACH = Registration, Evaluation, Authorization and Restriction of Chemicals Regulation (EU) No 2015/830.

SVHC = Substances of Very High Concern.

vPvB = very Persistent and very Bioaccumulative.

UN = United Nations.

MARPOL = International Convention for the Prevention of Pollution from Ships (IMO).

IBC = Intermediate Bulk Container.

EINECS = European Inventory of Existing Commercial chemical Substances.

ELINCS = European List of Notified Chemical Substances.

ADN/ADNR= Regulations concerning the transport of dangerous substances in barges on inland waterways.

ADR/RID = European Agreement concerns the International Carriage of Dangerous Goods by Road/ Regulations concerning the international carriage of dangerous goods by rail.

### 16.3. Key literature reference and sources for data:

Synthetic Amorphous Silica Toxicity Information Reference: United Nations Environmental Programme (UNEP), Organization for Economic Co-operation and Development (OECD) Screening Information Data Set (SIDS) Initial Assessment Report, Synthetic Amorphous Silica, July 23, 2004.

### 16.4. Classification and procedure used to derive the classification for mixtures according to Regulation (EC)1272/2008(CLP)

Not a hazardous substance or mixture according to Regulation (EC) No 1272/2008 Of the European Parliament and Of the Council Of 16 December 2008 On Classification, Labelling And Packaging Of Substances And Mixtures, Amending And Repealing Directives 67/548/EEC And 1999/45/EC, And Amending Regulation (EC) No 1907/2006.

### 16.5. Relevant R-phrases and/or H-statements (number and full text)

Polyurethane-resin (CAS 9009-54-5):

H315: Causes skin irritation.

H319: Causes serious eye irritation.

H335: May cause respiratory irritation.

Silica, Amorphous (CAS 7631-86-9):

No H-statements required for silica, amorphous, as it is not classified as hazardous under OSHA regulations. However, general precautions should be taken to avoid dust inhalation.

R-phrases (if applicable):

I CORE SYSTEMS GMBH | Munscheidstrasse 14 | D-45886 Gelsenkirchen

Telefon: +49 (0) 209 9843 9999 | [contact@icorsys.com](mailto:contact@icorsys.com) | [www.icorsys.com](http://www.icorsys.com)

Geschäftsführer: Namik Kemal Sönmez | Mobile: +49 (0) 174 632 82 82 | [nks@icorsys.com](mailto:nks@icorsys.com)

Geschäftsführer: Hasan Ekiz | Mobile: +49 (0) 174 933 30 30 | +90 (0) 506 093 30 30 | [he@icorsys.com](mailto:he@icorsys.com)

Amtsgericht Gelsenkirchen: HRB 18073 | USt.ID: DE 365 995 108 | St.Nr: 319 / 5725 / 5768



R36/37/38: Irritating to eyes, respiratory system, and skin (old classification system; replaced by H-statements in the CLP/GHS system).

National Fire Protection Association (NFPA) Rating  
Health: [1] - Irritation or minor reversible injury possible.  
Flammability: [0] - Will not burn.  
Reactivity: [0] - Normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives  
Other: Not Applicable



The Hazardous Materials Information System (HMIS) Rating

Health: [1] - Irritation or minor reversible injury possible.  
Flammability: [0] - Will not burn.  
Reactivity: [0] - Normally stable, even under fire conditions, and will not react with water, polymerize, decompose, condense, or self-react. Non-explosives  
Personal Protection: See SECTION 8

Note: The CAS number provided for Polyurethane-resin (9009-54-5) is a general placeholder. Polyetherurethane-resin is a broad category of polymers with various formulations, each potentially having different CAS numbers. For precise identification, refer to the specific CAS number provided by the manufacturer for the exact product formulation. Always consult the manufacturer's safety data for the most accurate and detailed information.

#### 16.6. Training advice:

Do not handle until all safety precautions have been read and understood.

#### 16.7. Further information

Edited by: PINAR YİĞİTOĞLU ARTUK

Chemical Evaluation Specialist Preparer Certificate Number and Date: NBC / 04.22.02&08.08.2023

This safety data sheet (SDS) is based on the legal provisions of the REACH Regulation, as amended. Its contents are intended as a guide to the appropriate precautionary handling of the material. It is the responsibility of recipients of this SDS to ensure that the information contained therein is properly read and understood by all people who may use, handle, dispose or in any way come in contact with the product. Information and instructions provided in this SDS are based on the current state of scientific and technical knowledge at the date of issue indicated. It should not be construed as any guarantee of technical performance, suitability for particular applications, and does not establish a legally valid contractual relationship. The information cannot be transferred to other products. In the case of mixing the product with other products or in the case of processing, the information on this safety data sheet is not valid for the new made-up material. This version of the SDS supersedes all previous versions.